

**NOCO®**  
**Since 1914**

V17

# About **NOCO**.

The NOCO Company was founded in 1914 in Cleveland, Ohio. Joseph Henry Nook, a local tire and battery distributor, set out to develop a product that would prevent battery corrosion. After several hundred different formulations, Mr. Nook began commercially manufacturing and distributing the world's first Battery Corrosion Preventative which he called NCP2. NCP2 is an acronym for “**No Corrosion Product**” which is applied in “**2 Steps**”. The NCP2 brand quickly became a household name in every major battery and automotive shop. For over 100 years, the NCP2 brand has been preventing battery corrosion on more than one billion vehicles and applications worldwide.

Since then, NOCO has grown into a leading designer and manufacturer of innovative consumer-based battery and power products.

## The NOCO Company


30339 Diamond Parkway, #102

Glenwillow, OH 44139

United States Of America

800.456.6626

no.co



**NOCO®**  
Since 1914



NOCO  
**genius** BOOST HD  
15700  
joules

GB70  
12V 2000A



# BOOST

Ultra**Safe**® Lithium  
Jump Starters

**Safely** jump start  
a dead battery  
in seconds.®

# Safe, powerful jump starting.

Designed for most vehicles including ATVs, lawn mowers, motorcycles, cars, trucks, boats, RVs, tractors, equipment, and more. The new, more powerful models are for diesel and high-displacement engines, but are still safe on engines of all sizes.

## GB20

12V 400A

4650joules<sup>3S</sup>

Features  
Precision Clamps  
w/Integrated Eyelets  
USB IN & USB Out



4.0L Gas Only

Sport & Car

## GB40

12V 1000A

7000joules<sup>3S</sup>

Features  
HD Clamps  
USB IN & USB Out



6.0L Gas 3.0L Diesel

Car & Truck

**NOCO** Designed in the **USA**  
Patent US 9,007,015 B1

joules = Power (w) x Time (sec)

**joules<sup>3S</sup>** is the actual amount of  
power delivered over 3 seconds.

## GB70

12V 2000A

**15700joules<sup>3S</sup>**

### Features

Integrated Clamps  
12V 15A Out Port  
12V 3A Fast Recharge  
USB IN & USB Out



8.0L+ Gas 6.0L Diesel

Heavy Duty

### Features

Integrated Clamps  
12V 15A Out Port  
12V 5A Fast Recharge  
USB IN & USB Out  
Built-in Voltmeter

## GB150

12V 4000A

**22500joules<sup>3S</sup>**



Professional

10.0L+ Gas & Diesel

UltraSafe Lithium  
Jump Starters

genius BOOST



# LED

Ultra-bright LEDs.

<b>GB20</b>	Dual LED	100 Lumen
<b>GB40</b>	Dual LED	100 Lumen
<b>GB70</b>	8 LED	400 Lumen
<b>GB150</b>	10 LED	500 Lumen



7 light modes  
including flashlight and  
emergency strobe.





Charge smartphones,  
tablets, GPS and more.

USB

2.1A USB OUT

+

2.1A Micro USB IN



# 12V power port.

For tire pumps,  
inverters, lights  
+ more.

Built-in to every  
GB70 & GB150.

# Voltmeter.

Exclusively on GB150.



Quickly diagnose  
starting problems with  
integrated voltmeter.



**NOCO**   
**genius**

**G7200**

7.2A (7200mA)

**MODE** 

25% 50% 75% 100%

12V 24V

12V 24V  
CHARGE  
12V 24V  
12V 24V  
12V 24V

12V 24V  
CHARGE  
12V 24V  
12V 24V

12V 24V  
CHARGE  
12V 24V  
12V 24V



# NOCO genius<sup>®</sup>

**Smart** multi-purpose  
battery chargers.

UltraSafe, smart battery chargers designed  
to charge and maintain all battery sizes.



# Smart charging, for all sizes.

Designed for ATVs, lawn mowers, motorcycles, cars, trucks, boats, RVs, tractors, equipment, and more.

**G4**

6V&12V

1.1A X 4

Modes:

12V Norm

12V Cold/AGM

6V Norm

12V Lithium



**G750**

6V&12V

.75A

Modes:

12V Norm

6V Norm



**G1100**

6V&12V

1.1A

Modes:

12V Norm

12V Cold/AGM

6V Norm

12V Lithium



**G3500**

6V&12V

3.5A

Modes:

12V Norm

12V Cold/AGM

12V Norm Small

12V Cold/AGM Small

6V Norm

12V Lithium

12V Repair



All Chargers Include:  
Battery Clamp Connectors  
Eyelet Terminal Connectors

## G7200

12V&24V

7.2A

Modes:

12V Norm  
12V Cold/AGM  
24V Norm  
24V Cold/AGM  
12V Lithium  
12V AGM+  
12V Supply  
12V Repair



## G15000

12V&24V

15A

Modes:

12V Norm  
12V Cold/AGM  
24V Norm  
24V Cold/AGM  
12V Lithium  
12V AGM+  
12V Supply  
12V Repair  
+ JumpCharge  
[Vehicle Starting]



## G26000

12V&24V

26A

Modes:

12V Norm  
12V Cold/AGM  
24V Norm  
24V Cold/AGM  
12V Lithium  
12V AGM+  
16V Lithium Racing  
16V AGM Racing  
12V Supply  
12V Repair  
+ JumpCharge  
[Vehicle Starting]



Smart Multi-Purpose  
Battery Chargers

genius®





**Small,** yet powerful.





## Start-Stop.

Counteracts increased cyclic energy demands placed on batteries in micro-hybrid vehicles.



## Firewall.

Multi-level safety barrier prevents unsafe and abnormal conditions.



## Optimization.

Stabilizes internal battery chemistry for increased performance and longevity.



## Load Tracking.

Dynamically changes charge current when a load is placed on the battery.



## Diagnostics.

Intuitive visual diagnostic tool for detecting reverse polarity, low-voltage or damaged batteries.



## Energy-Save.

Minimizes energy consumption when full power is not needed.



## Thermal Monitor.

Internal temperature sensors adjust charge based on ambient climate.



## Safe.

Protects against reverse polarity, sparks, overcharging, overcurrent, open-circuits, short-circuits and overheating.



## Memory.

Returns to last selected mode when restarted.



## Interactive.

Alters the charging process based on organic battery feedback.



## Recovery.

Applies a high-voltage pulse charge when low-voltage, sulfation, or lost capacity is detected.



## Rugged.

Dirt, water, UV, impact, and crush resistant.



## CANBUS.

Automatically enables the charging port to charge CANBUS systems.



## Maintenance Plus.

Keeps the battery fully charged without overcharging, indefinitely.

Standard on all **G Series** and **GX Series** Chargers.



Identify problems to solve them more efficiently.

Advanced diagnostics analyze the battery and display specific errors if a problem is detected. The flash pattern tells you what is wrong so you can quickly fix it:

Single Flash: Battery will not hold a charge and should be checked by a professional.

Double Flash: Possible battery short, and should be checked by a professional.

Triple Flash: Battery voltage is too high for the selected charge mode.  
Double check the battery matches the charge mode.

Error LED Solid Red: Reverse polarity. Reverse the connections to the battery.

Standby LED Solid Orange: Battery voltage is too low for charger to detect the battery.







# NOCO genius<sup>®</sup>

**Smart** industrial  
battery chargers.

UltraSafe, universally adaptable chargers designed  
for heavy-use industrial vehicles, anywhere.

**Industrial**  
strength.



**Control.**  
Interchangeable  
cables & secure  
interface.

# 92% Efficiency.

Precision aluminum body. Waterproof & tamperproof interface. Compact industrial on-board chargers.



Modes:  
Norm  
Cold/AGM  
AGM+  
Li-Ion  
Repair  
Supply

3 models available, same compact size & advanced features:

**GX2440**  
24V 40A

**GX3626**  
36V 26A

**GX4820**  
48V 20A

**GX Series Industrial  
HF/HE Battery Chargers**

**genius®**



**Inhibit port.**

Prevent vehicle and equipment operation while charging.

**Remote LEDs port.**

Used to connect LEDs for easy monitoring when the charger's LEDs are not accessible.

# Universal input, flexible output.

Interchangeable AC  
and DC cables.

## **GXC005**

SB50 Connector



## **GXC104**

AU Type I



## **GXC102**

EU Type F



## **GXC101**

NA Type B




## **GXC103**

UK Type G



## **GXC002**

Eyelet Connector



**GX Series**  
**Accessories**

**genius®**



GEN4  
4 BANK 40A

NOCO  
genius

CHARGE  
BANK 1  
12V OUT 10A


CHARGE  
BANK 2  
12V OUT 10A

CHARGE  
BANK 3  
12V OUT 10A

CHARGE  
BANK 4  
12V OUT 10A

ON



The background of the advertisement is a close-up photograph of a black, ruggedized electronic device, likely a battery charger, with red and yellow cables connected to it. The device has a textured, industrial appearance. The NOCO logo is positioned at the top center, featuring the word "NOCO" in a bold, white, sans-serif font. To the right of "NOCO" is a white icon of an atom with three elliptical orbits and a central nucleus. Below the NOCO logo, the word "genius" is written in a large, bold, white, sans-serif font, with a registered trademark symbol (®) to its upper right.

**NOCO**   
**genius**®

**GEN**  
**Waterproof** on-board  
battery chargers.

UltraSafe, smart battery chargers designed to fully charge and maintain batteries in extreme environments.



# Waterproof smart charging.

Designed for marine and industrial applications where durability is crucial.  
Completely sealed, 100% waterproof.

## GEN 10A/Bank

### GCP1

AC Port w/Integrated  
Extension Cable



### GEN1

12V 10A



### GEN2

12V 20A  
2 Bank



# GEN MINI 4A/Bank

**GENM1**  
12V 4A



**GENM2**  
12V 8A  
2 Bank



**GENM3**  
12V 12A  
3 Bank



**GEN3**  
12V 30A  
3 Bank



**GEN4**  
12V 40A  
4 Bank



Smart Waterproof  
On-Board Battery Chargers

**genius**

Designed **tough.** IP68





## Waterproof.

100% completely sealed, protects against extreme working environments & rated at IP68.



## Safe.

Protects against reverse polarity, sparks, overcharging, overcurrent, open-circuits, short-circuits, and overheating.



## Firewall.

Multi-level safety barrier prevents unsafe and abnormal conditions.



## Interactive.

Alters the charging process based on organic battery feedback.



## Recovery.

Applies a high-voltage pulse charge when low-voltage, sulfation, or lost capacity is detected.



## Optimization.

Stabilizes internal battery chemistry for increased performance and longevity.



## Ignition Protected.

Non-igniting and temperature controlled for safe and worry-free operation.



# NOCO<sup>®</sup> X GRID

**Power** the adventure.

Ultra-compact, rugged, and expandable mobile power products. Collect power from the sun and recharge on the go.





# Rugged. IP65

Water, dust, and  
impact resistant.

3000mAh  
11.1Wh  
1A IN/OUT

3000mAh  
11.1Wh  
1A IN/OUT

## Lithium battery packs.

USB 

**XGB3**

**XGB3L**

250 Lumen LED Flashlight





6000mAh  
22.2Wh  
2.1A IN/OUT



**XGB6**

12000mAh  
44.4Wh  
2.1A IN/OUT



**XGB12**



XGS4 USB Kit

# Endless power.

Collect power from the sun and store it for use on the go. Charge USB devices, like smartphones, anywhere.



## XGS4 USB

- XGS4 4W Solar Panel
- 40" USB Cable
- 5V FLEX USB Regulator
- XGB3 Battery Pack

### Interchangeable Regulators

Use with NOCO X-Connect accessories to maintain batteries in cars, trucks, boats, motorcycles, ATVs and more.




6V  
FLEX6V



12V  
FLEX12V



USB  
FLEXUSB



Charge virtually  
any USB powered  
device, like a  
smartphone or  
tablet, from the  
dock or on the go.

**Charging,** made easy.

**Light,** always ready.

250 Lumens

**CHARGE<sup>≡</sup>LIGHT<sup>®</sup>**







Ultra**Safe**™ Lithium



UltraSafe Samsung  
Lithium Battery



Wireless Charging Station  
w/Integrated USB Port

Precision Optics  
Brilliant Light



CREE XT-E  
Professional Grade LED



250 Lumen Flashlight  
**USB Power + Dock**

**CHARGE<sup>®</sup> LIGHT**



**BATTERY  
LIFE+**

®



**Solar** battery chargers.

# BATTERY LIFE+ SOLAR 5

5W Solar Battery Charger + Maintainer



# BATTERY LIFE+ SOLAR 2

2.5W Solar Battery Charger + Maintainer



**NOCO X-CONNECT**

Compatible with all NOCO X-Connect accessories.

Rigid Solar Panel  
**12V** Auto Kits

**BATTERY LIFE+**



**Maintenance,** perfected.



Lead Acid

Wet

Gel

MF

EFB

AGM

**12V**

Auto | Marine | RV | Powersport | Lawn & Garden

## Waterproof.

Weather resistant solar charger for outdoor use rated at IP65.

## UV Resistant.

Engineered to take the abuse of the sun through the use of color stabilization and UV inhibitors.

## Designed for Safety.

Short circuit, open circuit, overheat, and overcurrent protected.

## Thin Film Technology.

Works well in low-light, cloudy, and overcast conditions.

## Black Current Protection.

Protects the battery from accidental back current drain at night.

## Ultra Low-Profile.

Unique low-profile design for a light weight, compact charger.

## Rugged Frame.

Made from an engineered polymer for high-strength and durability.

Rigid Solar Panel  
**12V** Auto Kits

**BATTERY LIFE+**

# NOCO XCONNECT Accessories



**GC001**

## **Battery Clamp Connector**

Quickly connect to any battery, or keep attached for convenient charging.



**GC002**

## **Eyelet Terminal Connector**


Permanently mount one on your ATV, Motorcycle, Car, Boat or any other vehicle for easy charging.



**GC003**

## **12V Plug Connector**

Charge and maintain your vehicle's battery by plugging into the 12V auxiliary plug.



**GC004**

## **10' Extension Cable**

Extend the reach of your NOCO chargers and accessories with the GC004 10' Extension Cable.



**GC008**

## **XL Eyelet Terminal Connector**

Connect to batteries with 3/8" terminals. Permanently mount eyelets to your vehicle.



**GC009**

## **SAE Adapter**



**GC013**

## **Male-to-Male Coupler**

Interchangeable, high-quality accessories.


**GC010**



**12V Plug Female Outlet**

Use with a G7200 in supply mode to create a 12V outlet, or pair with the GC013 Male-to-Male.

**GC011**



**12V Plug Connector (Dual Size)**

The dual size adapter fits both standard size 12V plugs & mini 12V outlets on motorcycles.

**GC012**



**OBDII Connector**

Connect to the OBDII Connector found in vehicles 1996 and newer.

**GC015**



**12V Eyelet Battery Indicator**

Built-in LEDs indicate the charge level of the battery, for ongoing monitoring.

**GC016**



**12V Dashmount Battery Indicator**

Quickly connect to any battery from wherever the Dashmount Battery Indicator is located.

**GC024**



**XLR Connector**

Quickly connect to any 24V XLR port, commonly found on power wheelchairs, with the G7200.

Accessories

**NOCO XCONNECT**

# BOOST™ Accessories

Premium accessories  
for high-power  
applications.

**GBC001**



**GBC002**



## Boost Battery Clamps

Designed to efficiently transfer maximum current flow with minimal power loss, and equipped with silicone insulation for heat stability and flexibility.

(For GB20, GB30, & GB40 Only)

## NOCO XCONNECT HD™

**GC032**



## HD Battery Clamps w/Integrated Eyelet Connector

Connect quickly to any battery for easy charging, or permanently mount the eyelets for an always-ready battery-charging access point.

(For G15000 & G26000 Only)

**GBC007**



**GBC009**



SAE

## Boost Eyelet Cable w/Charging Adapter

Permanently mount a Boost cable to difficult-to-access batteries and use the X-Connect or SAE charging adapter to connect to a charger.

(For GB20, GB30, & GB40 Only)

# 12V Accessories

Heavy-duty, universal 12V adapters.

**GC017**



**12V Plug w/Battery Clamps**

Instantly tap into a 12V battery's power and create an easy-to-use 12V port.

**GC018**



**12V Plug w/Eyelet Terminals**

Turn any 12V battery into an AUX 12V port.

**GC019**



**12V Plug 12' Extension Cable**

Extend the reach of your 12V ports with this heavy duty 12' extension cable.

**GC020**



**12V Plug 2-Way Splitter**

Expand a 12V AUX port and plug in multiple 12V devices at the same time.

Accessories

**NOCO**



CB104

Made in  
USA

Invented In 1914, The Original

**NCP2**

Brush-on Corrosion  
Inhibitive



Ultra Premium  
Oil Based  
Proven Formula





# NCP2<sup>®</sup>

## Oil-based battery corrosion preventative.

Premium oil-based preventative that never dries,  
protecting your battery from harmful corrosion.

# The original battery corrosion preventative since 1914.

Designed to stop corrosion for the life of your battery.  
The NCP2 oil-based compound never dries or evaporates.

## CB104

NCP2 Battery  
Corrosion  
Preventative  
(4 oz.)




## B603

NCP2 Battery Corrosion  
Terminal Protectors  
(50 ct.)




## MC303

NCP2 Battery  
Terminal Protectors  
(2 ct.)



## M101S

NCP2 Battery  
Corrosion  
Preventative  
(1 oz.)



**MC101**  
NCP2 Battery  
Terminal Treatment Kit  
(1 Fluid oz, 2 ct. Washers)



**A202**  
NCP2 Battery  
Corrosion  
Preventative  
(12.25 oz.)



**C506**  
NCP2 Battery  
Corrosion Preventative  
(5 gal.)



**Corrosion Prevention**

**NCP2**

# REMOVE

Battery cleaner.





Ex03

**REMOVOR**

- Removes Lead
- Neutralizes Acid
- Fast Acting
- Prolongs Battery Life
- Improves Starting

Directions:  
Spray directly on battery terminals and  
allow to sit for 10-15 minutes. Then  
brush off residue with a wire brush.  
Do not use on other parts of the vehicle.

Net Wt. 14 OZ (396g)

**Instantly** dissolve  
harmful corrosion.

Top-of-the-line battery cleaner for  
identifying and removing battery acid.



**Powerful** neutralizer.



# Battery Cleaner

Professional-grade battery cleaning chemicals that neutralize, dissolve, and remove battery corrosion.

## E403

Remove Battery  
Cleaner  
(14 oz.)



## E404

Remove+ Battery  
Cleaner & Acid  
Detector  
(14 oz.)



## MB104

Remove Battery  
Terminal Treatment Kit  
(8.0 cc, 2 ct. Washers)



Battery Cleaner

REMOVE

E800

Made in  
USA

# SQUEAKY

Professional  
Grade  
Glass  
Cleaner

- Pro Foaming Agent
- Streak Free
- No Residue
- Fast Acting
- Non-Abrasive
- Ammonia Free

NOCO Since 1914

Net Wt. 16 OZ (1lb) 453g

**NOCO PRO**  
Glass Cleaner

A close-up photograph of a person's hand using a dark, textured cloth to clean a car's side window. The hand is positioned horizontally, with fingers spread, applying pressure to the cloth against the glass. The background is blurred, showing the interior of the car and the window frame. The overall tone is professional and focused on the cleaning action.

# SQUEAKY

**Professional grade**  
glass cleaner.

Pro foaming agent for streak free, fast acting  
cleaning with no residue or abrasion.



Ammonia **free.**

# Glass Cleaner

Professional grade, streak-free foaming glass cleaner that is tough on dirt, dust, bugs, and grime.

## E800

Squeaky Professional  
Grade Glass Cleaner  
(16 oz.)



**Professional Glass  
Cleaner**

# SQUEAKY

# Snap-Top® & Commercial







# **Impact-modified** reinforced battery boxes.

Proven to stand up to extreme temperatures,  
battery acids, and heavy wear and tear.


# Battery Trays

**Heavy Duty** injection-molded trays, compatible with J-bolts and straps.

# Snap-Top<sup>®</sup> Battery Boxes

**BT24**

Group 24




11.3 x 7.3in

Maximum Battery Footprint

**BT27**


Group 27



13.1 x 7.3in

**BT31**

Group 27-31



13.7 x 7.3in

**HM082**

Group U1



8 x 5.2 x 7in

Maximum Battery Dimensions

**HM300BK**

Group 24



10.5 x 7.2 x 9.6in

# Commercial Battery Boxes

**Durable** roto-molded battery boxes for marine and deep cycle batteries.

**HM462**

Dual L16



14.4 x 12 x 17.4in

**HM426**

Dual 6-Volt



14.6 x 10.5 x 11.5in

Maximum Battery Dimensions

**HM408**

4D



21.2 x 9.6 x 11.1in

**Rugged** injection-molded battery boxes  
for marine and deep cycle batteries.

**HM306BK**

6-Volt



10.6 x 7.6 x 11.2in

**HM318BK**

Group 24-31



14 x 7.1 x 9.6in

**HM327BK**

Group 27



13.2 x 7.2 x 10in

**HM484**

8D



21 x 11.8 x 10.3in

**HM485**

Dual 8D



21 x 23 x 10.6in

**Battery** Trays & Boxes

**NOCO**<sup>®</sup>

# NOCO Accessories



# **Zinc** battery terminals.

Ultra conductive lead-free battery terminals.




# Lead-free battery terminals with **3X** the conductivity.

Ultra-plated zinc battery terminals that provide superior conductivity and resistance to corrosion and oxidation.


## **TZ110CS**

Top Post  
Terminal End



## **TZ210CS**

Marine Wing-Nut  
Terminal End



## **TZ510CS**

Side Post  
Terminal End



## **TZ226CS**

Marine Wing-Nut  
Terminal **x2**





## TZ710CS

Side Terminal  
Charging Posts



## TZ750CS

Female Stud  
Posts




## TZ800CS

Heavy Duty Fleet  
Top Post Terminal End



## TZ1160CS

Side Terminal  
Adaptors



## TZ1290CS

Bolt-on Top Post  
Terminal Ends



**Zinc Battery**  
Terminals

**NOCO** Accessories

MOHAWK  
TIRES

MO



MOHAWK  
TIRES

Even if speeds  
were twice as great  
as they are today—  
and other motoring  
hazards likewise  
multiplied—you  
could still ride  
with confidence on

**MOHAWK**  
HEAVY DUTY  
BALLOONS

**MOHAWK**  
TIRES

**NOCO<sup>®</sup>**  
Since 1914

**MOHAWK**  
TIRES

no.co

1914